








JET LIST

NOTE: To order jets, specify Series number and Jet size.

Example [N424-21050 is for size #50 of N424-21 series.]

NOTE: To order jets, specify Series number and Jet size.

Example [99101-124-150 is for size #150 of 99101-124 series.]

Jet Series	N424-21	N424-22	N424-24	N424-25B		N424-26	N424-35		N424-32
									
Jet Sizes Available	035 038 040 042 045 048 050 052 055 058 060 062 065 068 070 072 075 078 080	035 038 040 042 045 048 050 052 055 058 060 062 065 068 070 072 075 078 080	035 038 040 042 045 048 050 052 055 058 060 062 065 068 070 072 075 078 080	35 38 40 42 45 48 50 52 55 58 60 62 65 68 70 72 75 78 80	82 85 88 90 92 95 098	035 038 040 042 045 048 050 052 055 058 060 062 065 068 070 072 075 078 080	035 038 040 042 045 048 050 052 055 058 060 062 065 068 070 072 075 078 080	082 085 088 090 092 095 098 100 105 110 115 120	045 048 050 052 055 058 060 062 065
Application	(SLOW JET)	(SLOW JET)	(SLOW JET)	(SLOW JET)	(SLOW JET)	(SLOW JET)	(SLOW JET)	(SLOW JET)	(SLOW JET)
AFTER MARKET	FCR-MX		CRS	FCR					
HONDA	PJ, PWM (Motocross) (ATV)	PJ (Motocross)							PE 24 (Motocross)
	PE 20,22,26-30 (Motocross) (ATV)	PE 34-38 (Motocross)							
KAWASAKI	PWK (Motocross)	CVK-V (V-Engine)						CDK, CDKII CDCV	
HARLEY				BH (Non CV Type) BD (Screamin' Eagle)					
YAMAHA				BD (Snowmobile)					







•N424-25 series has 0.6 mm bleed (cross) holes.

When it is used for KAWASAKI CV, CVK or Harley CVH, bleed (cross) holes should be modified to 0.8 mm (dia.).

•If your jet is 99101-MA4 series, you can use N424-26 series.

•If your jet is 99101-441 series, you can use N424-22 series.







Jet List

Jet Series	N424-36		99101-124 <small>OLD #89101-2F5</small>		99101-357			99101-393			1001-806		N424-52
													
Jet Sizes Available	90	145	50	105	60	115	170	60	115	180	90	148	035
	92	148	52	108	62	118	172	62	118	185	92	150	040
	95	150	55	110	65	120	175	65	120	190	95	152	045
	98	152	58	112	68	122	178	68	122	195	98	155	048
	100	155	60	115	70	125	180	70	125	200	100	158	050
	102	158	62	118	72	128	182	72	128		102	160	052
	105	160	65	120	75	130	185	75	130		105	165	055
	108	165	68	125	78	132	190	78	132		108	170	058
	110	170	70	130	80	135	195	80	135		110	175	060
	112	175	72	135	82	138	200	82	138		112	180	062
	115	180	75	140	85	140	205	85	140		115	185	065
	118	185	78	145	88	142	210	88	142		118	190	068
	120	190	80	150	90	145	215	90	145		120	195	070
	122	195	82		92	148	220	92	148		122	200	072
	125	200	85		95	150	225	95	150		125	210	075
	128		88		98	152	230	98	152		128	220	078
	130		90		100	155		100	155		130	230	080
	132		92		102	158		102	158		132	240	082
	135		95		105	160		105	160		135	250	085
	138		98		108	162		108	165		138		088
	140		100		110	165		110	170		140		090
	142		102		112	168		112	175		145		092
Application	(MAIN JET)		(SLOW AIR JET)		(MAIN JET)			(MAIN JET)			(MAIN JET)		(ACCL. PUMP JET)
AFTER MARKET			FCR		FCR, FCR-MX, CRS			FCR (MAIN AIR JET)					
HONDA					PD (Dual Purpose) PE-34-38PE (Motocross) PJPDVG (Motocross) (ATV)			CVVD (Road Bike) (V-Eng) 26-30 VB VE (Motocross)(Sidedraft) (Motocross) (Downdraft) VA					FCR-MX (Motocross)
KAWASAKI	CDK, CDKII (Jet Ski)				PWK (Motocross)			CV, CVK (Road Bike)					
HARLEY					BD (Screamin' Eagle)						BH (Non CV Type)		
YAMAHA					BD (Snowmobile) PWM(Motocross)			CVK (Road Bike)					FCR-MX (Motocross)

NOTE: • N424-36 has the same profile as 99101-393, but is plated for water craft usage to prevent corrosion. Therefore, 99101-393 should not be used on CDK II carburetors.

Jet List

NOTE: To order jets, specify Series number and Jet size.
 Example [N424-27-150 is for size #150 of N424-27 series.]

Jet Series	N424-27	99101-116		N424-25B		N424-14		99103-420	N424-74C
	 8 mm	 7 mm		 15 mm		 22 mm		 23.5 mm	 28 mm
Jet Sizes Available	150 155 160 165 170 175 180 185 190 195 200 205 210 220 230 240 250	50 52 55 58 60 62 65 68 70 72 75 78 80 82 85	88 90 92 95 98 100 105 110 115 120	035 038 040 042 045 048 050 052 055 058 060 062 065 068 070 072 075 078 080	082 085 088 090 092 095 098	40 50 60 70 80 90 100 110 120 130 140 150 160 170 180 190 200 210 220	230 240 250 260 280	32 35 38 40 42 45 48 50 52	035 038 040 042 045
Application	(MAIN JET)	(MAIN JET)		(SLOW JET)		(MAIN AIR JET)		(SLOW JET)	(SLOW JET)
AFTER MARKET				FCR		CRS			
HONDA		PB (Small ATV)						VB (Side Draft)	
KAWASAKI	CDCV 40/44			CVK					(V2 ATV)
HARLEY	CVH (CV Type)			CVH					
YAMAHA				CVK					

NOTE:

- 99103-420 series has 0.6mm bleed (cross) holes.
- Can be used as a 99103-MA1 or 99103-MA4 if bleed (cross) holes are drilled to .7mm or .8mm respectively.
- N424-25B series has 0.8mm bleed (cross) holes.